

Arcom



RACKS & STILLAGES



Leader in production of TRANSPORT AND STORAGE SYSTEMS

We specialise in production of portable racks, stillages and cages for warehousing and transport of various goods. Our solutions enable optimal utilisation of storage space. Arcom racks allow significant reduction of warehousing costs and thus contribute to a tangible increase in market competitiveness of our clients.


We offer our experience gained since 1996 and supported by modern technology.

Wide range of RACKS, STILLAGES AND CAGES

Arcom is open to customize the product to your needs. We support client's business by sharing our extensive expertise in the area of warehousing and production facilities.

Arcom makes sure to design safe, reliable and cost efficient solution serving for years.

STATION



operating
since 1996

more than 1500
warehouses equipped

more than 60
countries served

more than 100.000
racks delivered yearly

more than 700
products

1996

1500


60

100k


700



**TYRES
& WHEELS**




**GAS
CYLINDERS**



CONSTRUCTION



**ROLLS
& FABRICS**



COMPONENTS



VEHICLES



**GENERAL
CARGO**



**BIG
BAGS**



**DOORS &
WINDOWS**



BARRELS



Foldable racks for all kinds of **PASSENGER CAR TYRES & WHEELS**

Arcom has been offering solutions for warehousing and transporting tyres, rims and wheels for over 25 years. We manufacture steel pallets/racks and trolleys as well as special-purpose platform systems.

Our customers include tyre manufacturers, logistic companies, wholesalers, distribution networks and service workshops.



High capacity **TYRE RACKS**

> **AR01**

Size 2383 x 1250 x 2200 mm




max load
1000 kg




levels
4




> **BOTTOM VARIANTS**



MESH



45 HOLES



P-52%





> **AR01 WIDE**
Size 2383 x 1400 x 2200 mm

max load
1000 kg

levels
4



> **AR01 BOX**
Size 2383 x 1250 x 2000 mm

max load
1000 kg

levels
4



> **AR01/E3**
Size 2395 x 1250 x 2200 mm

max load
1000 kg

levels
4



> **AR07**
Size 2398 x 1100 x 850 mm

max load
300 kg

levels
9

> **AR01 BOX/6**
Size 2383 x 1250 x 1200 mm

max load
700 kg

levels
6



> **AR01 BOX/5**
Size 2383 x 1250 x 2000 mm

max load
1000 kg

levels
4





> AR50

Size 1495 x 1460 x 2070 mm



max load
800 kg



levels
2



> AR50/2

Size 1460 x 1485 x 1200 mm



max load
800 kg



levels
2

> AR03 MIX

Size 2383 x 1250 x 2200 mm



max load
1000 kg



levels
4



> AR04

Size 2383 x 1250 x 1830 mm



max load
800 kg



levels
5



> AR05 MIX

Size 2383 x 1250 x 2200 mm



max load
1000 kg



levels
4



> **AR33/3**

Size 1730 x 690 x 2117 mm

max load
600 kgtyres
24

Service trolleys for
**WHOLESALE FACILITIES,
SERVICE STATIONS AND
TYRE HOTELS**

> **AR30**

Size 2334 x 540 x 1926 mm

max load
400 kgtyres
50> **AR30/7**

Size 2276 x 787 x 1983 mm

max load
600 kgtyres
50> **AR38**

Size 2580 x 1200 x 2437 mm

max load
900 kgtyres
50

EXPOSITION TROLLEYS

with multiple customizing
options

> **AR34**

Size 1345 x 490 x 1927 mm

max load
240 kgtyres
10> **AR35/4**

Size 1363 x 754 x 2142 mm

max load
200 kgtyres
8> **ARE5**

Size 1197 x 625 x 1985 mm

max load
250 kgtyres
10> **AR37**

Size 1130 x 532 x 1823 mm

max load
240 kgtyres
8



Racks for truck and bus tyres **FOR HIGH CAPACITY WAREHOUSES**

> **AR10**

Size 2398 x 1100 x 1260 mm



max load
600 kg



levels
6



> **AR10 HIGH**

Size 2398 x 1100 x 1390 mm



max load
600 kg



levels
5



> **AR11**

Size 2383 x 1250 x 1260 mm



max load
600 kg



levels
8



> **AR23**

Size 2457 x 1100 x 1260 mm



max load
1100 kg



levels
4

TRACTOR front and rear, industrial and **AGRO-INDUSTRIAL,** row crop, lawn & garden tyres

> **AR12**

Size 2398 x 1100 x 1375 mm



max load
800 kg



levels
5



> **AR12/250**

Size 2398 x 1100 x 1626 mm



max load
800 kg



levels
4



> **AR12/500**

Size 2398 x 1100 x 1876 mm



max load
800 kg



levels
3



> **AR13/2**

Size 2383 x 1250 x 2400 mm



max load
1300 kg



levels
4





MEZZANINE SYSTEM

for tyre, wheel, rim and general cargo

Double the surface area of warehouses in a simple and cost-effective way. Quick and easy to assemble.

Mezzanine floors allow you to take maximum advantage of the height of premises, doubling the surface area.


Mezzanines can be completely dismantled for reuse elsewhere, and their structure, dimensions and location are easy to modify. They can be installed throughout the whole warehouse or in certain areas.

PURPOSE

- Tyre & Wheel seasonal storage ✓
- Tyres & Rims warehousing ✓
- General cargo stocks ✓
- Perfect back-up for internet shops ✓

ADVANTAGES

- Increased extra floor space in industrial premises ✓
- Multiplies your capacity ✓
- Quick and easy to assemble without engineering work and special tools ✓
- Can be complemented with a variety of Arcom racks ✓
- Easy to relocate, expand and change ✓
- Strong, long - lasting material is used ✓
- Good order and easy inventory checks ✓




MULTILEVEL

Mezzanine System for Wheels & Tyres

FEATURES

- ✓ Stock increase by 30%.
- ✓ Full use of 5 to 11m high warehouses.
- ✓ Tyre racks in stack – up to 4.
- ✓ Quick unloading for e-commerce B2C
- ✓ Business model, seasonal hotels for wheels and tyres, etc.
- ✓ No forklift required.
- ✓ Easy inventory check.
- ✓ System based on Arcom racks.





Portable stillages FOR TRANSPORT AND STORAGE

Arcom's designing is always focused on the operational safety of the racks, reduction of costs, ergonomics and long-term functionality.

We are capable of building virtually any stillages used in the automotive industry. We keep high quality standards while the modern machinery (lasers, robotised welding stations) enables us to concentrate the entire manufacturing process within our plant. If needed, we equip the pallets with additional components, such as rubbers, plastics, etc.

MOTORBIKES, TOURING AND ADVENTURE, CRUISERS, CHOPPERS, CLASSICS

> ARVM2

Size 2250 x 794 x 1320 mm



Fixed height or ADJUSTABLE SIDES

> ARVM4/2

Size 2409 x 1084 x 1420 mm



> ARVM5

Size 2409 x 1084 x 1250 mm



> K09

Size 2360 x 744 x 1514 mm



**ARVQ2**

Size 2320 x 1363 x 1290 mm


 max load
400 kg

 levels
5
ARVQ13

Size 3183 x 1906 x 1340 mm


 max load
800 kg

 levels
2
**ARVQ15**

Size 3200 x 1900 x 1345 mm


 max load
900 kg


 levels
4

Customized handling solutions FOR VARIOUS COMPONENTS

**K31**

Size 1478 x 1136 x 774 mm


 max load
750 kg

 levels
3
**K73**


Size 1700 x 1340 x 730 mm


 max load
1500 kg

 levels
1
K75

Size 1200 x 800 x 985 mm


 max load
300 kg

 levels
4




Portable stillages FOR TRANSPORT AND STORAGE

Steel pallets and cages, designed for storage and transport of gas cylinders. Solutions for LPG, technical and medical gases, as well as steel bundle frames.

We are aware of how important it is to transport gas safely and we are proud of long-term business relationships with leading European gas producers and distributors, who in turn value our care of safety issues.

> ARG2

Size 2270 x 1630 x 844 mm



max load
1000 kg



levels
6



> ARG3

Size 1230 x 1009 x 970 mm




max load
380 kg



levels
4



FULLY WELDED FRAMES and special features of BOLTED DESIGN BY ARCOM



> ARG11/4

Size 2310 x 1636 x 850 mm



max load
1050 kg



levels
6

> ARG11/5

Size 2315 x 1634 x 794



max load
1050 kg



levels
6



> ARG18

Size 1636 x 1133 x 1648 mm



max load
1000 kg



levels
2

Handling of 11kg and 33kg
CYLINDERS WITH PROPANE GASES



Handling of industrial and specialty gases IN CYLINDERS AND BUNDLES



> ARG23

Size 2190 x 812 x 1780 mm



max load
1400 kg



> ARMT22

Size 2320 x 950 x 1121 mm



max load
1200 kg



levels
3



> ARG15

Size 1400 x 1088 x 1508 mm



max load
800 kg



levels
2



> ARG4/1

Size 1630 x 740 x 2120 mm



max load
800 kg



> ARG13

Size 1640 x 1180 x 1748 mm



max load
1000 kg



> ARG6/1

Size 680 x 740 x 2120 mm



max load
350 kg





Handling of industrial and specialty gases IN CYLINDERS AND BUNDLES

> ARG20

Size 1070 x 875 x 1078 mm



max load
1200 kg

levels
3



> ARG17

Size 1000 x 1076 x 1068 mm



max load
1600 kg

levels
3



> ARG29

Size 990 x 752 x 1976 mm



max load
1500 kg

levels
1



Bespoken storage containers FOR HEALTHCARE GASES

> ARG37

Size 1010 x 662 x 905mm



max load
300 kg

levels
6



> K11

Size 811 x 600 x 900 mm



max load
600 kg

levels
2



> K50

Size 1050 x 905 x 1405 mm



max load
1500 kg

levels
1





Flexibility in daily WAREHOUSE OPERATIONS

Our stillages do not require anchoring and can be moved in no time. It brings high flexibility in your warehouse management.

You may use our products for big variety of cargo shape and dimensions. Bags, boxes, goods of irregular shape, small and big packages. Load can be stored directly or on wooden pallets. Arcom offers racks customized to your particular needs.

Portable racks for storage of goods exceeding STANDARD EPAL/EUR PALLETS



> AR01 BOX

Size 2383 x 1250 x 2000 mm



max load
1000 kg



levels
4

> ARMT24

Size 1200 x 1232 x 1200 mm



max load
500 kg



levels
5



> AR01+P1

Size 2383 x 1250 x 2200 mm



max load
1000 kg



levels
4



> ARMT1/2000

Size 1200 x 1200 x 2000 mm



max load
1000 kg



levels
2



GENERAL
CARGO

Cardboards, boxes, crates, chests, bundles,
bikes and thousand other goods
**CAN BE STORED AND TRANSPORTED ON
ARCOM RACKS**

> **ARMT10/5**

Size 1500 x 1500 x 1500 mm



max load
350 kg



levels
5



> **AR01 BOX/5**

Size 2383 x 1250 x 2000 mm



max load
1000 kg



levels
4

> **ARMT23**

Size 1582 x 1588 x 1465 mm



max load
900 kg



levels
5



> **AR31**

Size 2856 x 1166 x 1850 mm



max load
500 kg



> **AR44**

Size 1200 x 805 x 1855 mm



max load
300 kg

> **ARMT46**

Size 2051 x 1106 x 1750 mm



max load
300 kg



levels
3



GENERAL
CARGO





GENERAL
CARGO

SPECIAL EQUIPMENT for heavy loads



> ARMT16/3

Size 1580 x 1580 x 1470 mm



max load
2000 kg



levels
5



> ARMT28

Size 1600 x 1200 x 1200 mm



max load
700 kg



levels
6



> ARMT33

Size 2867 x 1311 x 1332 mm



max load
4000 kg



levels
4

TRANSPORT AND STORAGE OF VARIOUS MATERIALS AND TOOLS used in construction industry

CONSTRUCTION



> ARMT3

Size 2400 x 1210 x 810 mm



max load
750 kg



levels
6



> ARL32

Size 3160 x 750 x 870 mm



max load
2000 kg



levels
4

> ARMT3/6

Size 2430 x 1428 x 2494 mm



max load
1000 kg



levels
3





SOLUTION FOR ALL KINDS OF LOOSE MATERIALS: sand, gravel, wheat, PE/PVC/PP granulates in big-bags



> **ARMT4**

Size 1339 x 1358 x 1513 mm



max load
1500 kg



levels
4

> **ARMT5**

Size 1208 X 1208 X 1840 mm



max load
1000 kg



levels
5



> **ARMT5 MIX**

Size 1208 x 1208 x 2740 mm



max load
1000 kg



levels
3



> **ARA4**

Size 2000 x 800 x 2361 mm



max load
2000 kg



> **ARA8**

Size 1600 x 1150 x 2270



max load
1500 kg

> **ARMT41**

Size 1768 x 775 x 1307 mm



max load
240 kg



levels
2



GOOD CARE
of glass and damage protection



BARRELS

> ARMT30

Size 1290 x 1412 x 1266 mm



max load
1000 kg

levels
4



Drip trays
FOR CLEAN HANDLING



> ARMT30/1

Size 1520 x 820 x 930 mm



max load
500 kg

levels
8



> ARMT18/1

Size 1862 x 858 x 1007 mm



max load
750 kg

levels
5

Storage concept for
200 L BARRELS

Designed to provide gentle handling
of sensitive materials like
FILM ROLLS AND DELICATE FABRICS



> ARMT8

Size 2004 x 1250 x 1940 mm



max load
1500 kg

levels
3

> ARMT40

Size 1601 x 1206 x 1000 mm



max load
1000 kg

levels
6



> K89

Size 1738 x 810 x 1007 mm



max load
750 kg

levels
6



ROLLS AND FABRICS





Laser **CUTTING**

This technology stands for precision and cost efficiency. 100% repeatability of dimensions is of crucial importance for the stability of the racks and directly translates into the occupational safety of warehouse workers. High productivity of our lasers makes us competitive in terms of price and production capacity.



Quality **STEEL**

Arcom specialises in manufacturing of lightweight steel structures made largely of the S235JR and S355J2H steel grades. Our products are of **class EXC1** and **EXC2** according to **PN-EN 1090-1+A1:2012**.

The materials used come from selected and regularly audited suppliers. Each batch of steel is subjected to internal quality check.



Welding **EXPERIENCE**

At the heart of our technology is welding. The skills and experience of Arcom's employees are the source of our quality advantage. We carry out welding processes using world-class automatic machines.

Highly efficient robotic welding stations mean that we are able to deliver large quantities of racks & stillages in a short time.



Long-lasting **COATING**

Whether paint-coated or galvanised our products will serve you for years. We have an automated powder coating plant and we apply Qualicoat certified coatings. Their enhanced adhesion to metals translates into long durability and increased corrosion resistance.

Galvanised coatings are made by professional subcontractors according to EN ISO 1461 and on the basis of the particular requirements of our customers.

Product name	Category	Page	Length (mm)	Width (mm)	Height (mm)	Max load (kg)	Stackability (levels)	Qty./truck (pcs)	Qty./40HC (pcs)	Cargo sizes	Cargo qty.
AR01	Tyres & wheels	5	2383	1250	2200	1000	4	96	63	dia. up to 1250 mm	up to 100 pcs.
AR01 WIDE	Tyres & wheels	6	2383	1400	2200	1000	4	80	-	dia. up to 1250 mm	up to 100 pcs.
AR01/E3	Tyres & wheels	6	2395	1250	2200	1000	4	96	-	dia. up to 1250 mm	up to 100 pcs.
AR07	Tyres & wheels	6	2398	1100	850	300	9	196	132	dia. 450 to 680 mm	up to 24 pcs.
AR01 BOX	Tyres & wheels	7 / 23	2383	1250	2000	1000	4	96	63	dia. up to 1200 mm	up to 100 pcs.
AR01 BOX/5	Tyres & wheels	7	2383	1250	2000	1000	4	64	-	dia. up to 1200 mm	up to 90 pcs.
AR01 BOX/6	Tyres & wheels	7	2383	1250	1200	700	6	96	96	dia. up to 1200 mm	up to 60 pcs.
AR50	Tyres & wheels	8	1495	1460	2070	800	2	60	40	dia. up to 1200 mm	up to 40 pcs.
AR50/2	Tyres & wheels	8	1460	1485	1200	800	2	60	40	dia. up to 1200 mm	up to 30 pcs.
AR03 MIX	Tyres & wheels	9	2383	1250	2200	1000	4	96	63	dia. 450 to 1100 mm	up to 72 pcs.
AR04	Tyres & wheels	9	2383	1250	1830	800	5	96	63	dia. 490 to 790 mm	up to 40 pcs.
AR05 MIX	Tyres & wheels	9	2383	1250	2200	1000	4	96	63	dia. 480 to 790 mm	up to 72 pcs.
AR33/3	Tyres & wheels	10	1730	690	2117	600	1	96	54	dia. 690 to 780 mm	up to 24 pcs.
AR30	Tyres & wheels	10	2336	541	1926	400	1	208	154	dia. up to 800 mm	up to 50 pcs.
AR30/7	Tyres & wheels	10	2276	787	1983	600	1	90	75	dia. 660 to 680 mm	25/50 pcs.
AR38	Tyres & wheels	10	2580	1200	2437	900	1	108	80	dia. 330 to 750 mm	50 pcs.
AR34	Tyres & wheels	11	1345	490	1927	240	1	80	48	dia. up to 700 mm	up to 10 pcs.
AR35/4	Tyres & wheels	11	1365	754	2141	200	1	160	120	dia. 500 to 790 mm	8 pcs.
ARE5	Tyres & wheels	11	1197	625	1985	250	1	336	300	dia. up to 690 mm	up to 10 pcs.
AR37	Tyres & wheels	11	1130	532	1823	240	1	150	270	dia. 520 to 790 mm	8 pcs.
AR10	Tyres & wheels	12	2398	1100	1260	600	6	196	136	dia. 900 to 1250 mm	up to 7 pcs.
AR10 HIGH	Tyres & wheels	12	2398	1100	1390	600	5	182	121	dia. 900 to 1250 mm	up to 7 pcs.
AR11	Tyres & wheels	12	2383	1250	1260	600	8	96	63	dia. 850 to 1100 mm	up to 7 pcs.
AR23	Tyres & wheels	12	2457	1100	1260	1100	4	196	63	dia. 850 to 1100 mm	up to 8 pcs.
AR12	Tyres & wheels	13	2398	1100	1375	800	5	126	86	dia. up to 1260 mm	up to 8 pcs.
AR12/250	Tyres & wheels	13	2398	1100	1626	800	4	126	86	dia. 1260 to 1490 mm	up to 7 pcs.
AR12/500	Tyres & wheels	13	2398	1100	1875	800	3	126	86	dia. 1260 to 1730 mm	up to 6 pcs.
AR13/2	Tyres & wheels	13	2383	1250	2400	1300	4	72	46	dia. 800 to 2190 mm	up to 3 pcs
ARVM2	Vehicles	16	2250	794	1320	400	4	216	150	2000 mm	1 vehicle
ARVM4/2	Vehicles	17	2410	1084	1420	500	4	168	80	2200 mm	1 vehicle
ARVM5	Vehicles	17	2409	1084	1250	300	4	168	80	2200 mm	1 vehicle
ARVQ2	Vehicles	18	2320	1363	1290	400	5	120	84	2200 mm	1 vehicle
ARVQ13	Vehicles	18	3183	1906	1340	800	2	56	-	3000 mm	1 vehicle
ARVQ15	Vehicles	18	3200	1900	1345	900	4	52	-	3000 mm	1 vehicle
K09	Vehicles	17	2360	744	1515	400	5	180	120	-	1 vehicle
K31	Components	19	1478	1136	774	750	3	216	160	-	6 engines
K73	Components	19	1700	1340	730	1500	1	128	112	-	1 engine
K75	Components	19	1200	800	985	300	4	108	46	-	special components
ARG2	Gas cylinders	20	2270	1630	844	1000	6	98	70	-	35 gas cylinders 11 l
ARG3	Gas cylinders	20	1230	1009	970	380	4	72	36	-	12 gas cylinders 11 l
ARG11/4	Gas cylinders	21	2310	1636	850	1050	6	24	-	-	12 gas cylinders 35kg
ARG11/5	Gas cylinders	21	2315	1634	794	1050	6	24	-	-	35 gas cylinders 23 kg

Product name	Category	Page	Length (mm)	Width (mm)	Height (mm)	Max load (kg)	Stackability (levels)	Qty./truck (pcs)	Qty./40HC (pcs)	Cargo sizes	Cargo qty.
ARG18	Gas cylinders	21	1636	1133	1648	1000	2	26	14	-	12 gas cylinders 61 kg
ARG23	Gas cylinders	22	2190	812	1780	1400	3	26	14	-	12 gas cylinders 61 kg
ARMT22	Gas cylinders	22	2320	950	1121	1200	3	112	60	-	30 gas cylinders 11 l
ARG15	Gas cylinders	22	1400	1088	1508	800	2	40	-	-	30 gas cylinders 11 l
ARG4/1	Gas cylinders	23	1630	740	2120	800	1	34	-	-	up to 20 gas cylinders
ARG6/1	Gas cylinders	23	680	740	2120	350	1	88	51	-	up to 8 gas cylinders
ARG13	Gas cylinders	23	1640	1180	1748	1000	1	18	14	-	30 gas cylinders 11 l
ARG20	Gas cylinders	24	1070	875	1078	1200	3	217	52	-	12 cylinders 20 l
ARG17	Gas cylinders	24	1000	1076	1068	1600	3	56	44	-	16 gas cylinders 50 l
ARG29	Gas cylinders	24	990	752	1978	1500	1	44	-	-	12 gas cylinders 50 l
ARG37	Gas cylinders	25	1011	662	905	300	6	150	72	-	10 gas cylinders
K11	Gas cylinders	25	811	600	900	600	2	192	104	-	-
K50	Gas cylinders	25	1050	905	1405	1500	1	32	26	-	12 gas cylinders
AR01 +P1	General cargo	26	2383	1250	2200	1000	4	96	63	-	1 x EPAL
AR01 BOX	General cargo	27	2383	1250	2000	1000	4	96	63	-	various
ARMT24	General cargo	27	1200	1232	1200	500	5	168	120	-	various
ARMT1/2000	General cargo	27	1200	1200	2000	1000	2	108	66	-	1 x EPAL
ARMT10/5	General cargo	28	1500	1500	1500	350	5	90	-	-	various
ARMT23	General cargo	28	1582	1587	1465	900	5	204	150	-	various
AR31	General cargo	29	2856	1166	1850	500	1	18	-	-	various
AR01 BOX/5	General cargo	28	2383	1250	2000	1000	4	64	-	-	various
ARMT28	General cargo	30	1600	1200	1200	700	6	144	-	-	27-44 pcs.
AR44	General cargo	29	1200	805	1855	300	1	84	72	-	-
ARMT16/3	General cargo	30	1580	1580	1470	2000	5	56	-	-	various
ARMT33	General cargo	30	2867	1311	1332	4000	4	32	-	-	3 x EPAL
ARMT46	General cargo	28	2051	1106	1750	300	3	112	70	-	various
ARMT3	Construction	31	2400	1210	810	750	6	168	-	long	various
ARL32	Construction	31	3160	750	870	2000	4	63	-	long	various
ARMT3/6	Construction	31	2430	1428	2494	1000	3	80	-	long	-
ARMT4	Big bags	28	1339	1358	1513	1500	4	64	-	1000x1000x1200 mm	1 bag
ARMT5	Big bags	28	1208	1208	1840	1000	3	220	-	1000x1000x2400 mm	1 bag
ARMT5 MIX	Big bags	28	1208	1208	2740	1000	5	220	-	1000x1000x2400 mm	1 bag
ARA4	Doors & Windows	29	2000	800	2361	2000	1	18	-	-	various windows
ARA8	Doors & Windows	29	1600	1150	2270	1500	1	36	-	-	various windows
ARMT41	Doors & Windows	29	1768	775	1307	240	2	48	-	-	6 car windows
ARMT30	Barrels	30	1290	1412	1266	1000	4	84	-	-	4 oil barrels 200l
ARMT30/1	Barrels	30	1520	820	930	500	8	90	44	-	2 oil barrels
ARMT18/1	Barrels	30	1862	858	1007	750	5	176	-	-	2 oil barrels
ARMT8	Rolls & fabrics	31	2004	1250	1940	1500	3	72	-	dia. up to 1300mm	various rolls
ARMT40	Rolls & fabrics	31	1601	1206	1000	1000	6	144	120	long	various
K89	Rolls & fabrics	31	1738	810	1007	750	6	66	-	dia. up to 800mm	various rolls

Arcom



www.arcom.net.pl

in f @



**Arcom Sp. z o.o.
ul.Brzeska 3,
32-765 Rzeszawa, Poland**

+48 14 696 04 00

info@arcom.net.pl